



## **RESIDENTIAL TRAFFIC MANAGEMENT PROGRAM**

### **GUIDELINES TO MANAGE RESIDENTIAL TRAFFIC**

#### **GOALS**

1. Improve residential livability by encouraging adherence to the speed limit.
2. Maintain access, safety and comfort for alternative transportation users on residential streets.
3. Encourage citizen involvement in solutions to residential traffic problems.
4. Appropriately channel public resources by prioritizing traffic mitigation requests according to documented criteria.
5. Effectively address the frequently conflicting, public safety interests of traffic mitigation and emergency response.

#### **POLICIES**

A request to consider modification of traffic flow on public streets **shall meet all** of the following criteria:

- The street must be classified as a two lane, local street and be primarily residential in nature.
- Traffic volumes must equal or exceed the threshold volumes as indicated by the specific treatment criteria.
- Police and Fire Departments review and approve for satisfactory emergency service access.
- A traffic engineering safety study has determined that the proposed traffic flow modifications will not create undue traffic congestion on the subject street or on streets that may be impacted by diverted traffic.
- **The Citizens Association or the Neighborhood must designate a contact person(s) who will be the primary contact in the neighborhood for answering residents' questions.**

## **CRITERIA FOR MULTI-WAY STOPS ON RESIDENTIAL COLLECTOR STREETS**

- Through street – minimum 1/3 mile in length
- Width of street to not exceed 36 feet
- The Average Daily Traffic (ADT) is less than 4,000 ADT, with highest 8 hours at least 50 % of ADT during a study period of Monday through Friday
- Cut through traffic (minimum of 25% of cut through traffic, in one direction during any one hour of the 8<sup>th</sup> highest hours)
- Three or more accidents that are correctable by the installation of stop signs.
- The minor street must equal 40% of the main streets volume.
- The longest leg of a side street of the intersection being considered must exceed 400' in length
- The intersection must be at least 600' from another multi-way stop or from a stop condition along the main unstopped street.
- Petition acceptance & support requirements must be met
- A two circuit overhead flasher may be required, if determined by engineering judgment of the Traffic Services Division

## **PETITION ACCEPTANCE & SUPPORT REQUIREMENTS**

The City Traffic Services Division determines the boundary of the “affected area” to be included in the petition directly and indirectly affected areas. The petition requesting traffic flow modifications must be supported by 60 percent of the total number of households directly affected by the proposed changes; one household, one signature minimum, 85 percent of all affected households that may need to use the street(s) on a daily basis must be contacted for petition to be accepted by the City. Persons submitting a petition must attempt to contact all affected parties. The households immediately adjacent to the proposed improvement must accept the proposal 75%. Signatures from undeveloped or unoccupied properties are not required.

An eligible household is a single residential or commercial unit and shall include property owners, tenants, businesses and long-term tenants such as mobile park residents within the “affected area”. In case of conflict between property owner and tenant, the property owner’s vote takes precedence over the tenant.